

CE IE3

MADE IN ITALY



**INDUSTRIAL range**



**PLUS 15 bar**  
High pressure oil-injected rotary screw compressors with belt-transmission



Fixed speed  
8-22 kW

EN

**NEW! NEW!**


# PLUS 15 bar Designed for high pressure applications

PLUS oil-injected and belt-driven screw compressors, with pressure up to 15 bar, have been specifically designed for all those applications where high pressure is required, without sacrificing performance and with great attention to energy saving and ease of maintenance. The energy-saving motors with IE3 efficiency class, combined with our FS26 and FS50 air-ends, make these machines extremely performing and reliable over time.



## Why you should choose a Fini SCREW compressor?

- ▶ To cut operating costs.
- ▶ To save energy and reduce CO<sub>2</sub> emissions.
- ▶ To have the most modern, compact, efficient, reliable and quiet screw compressor.
- ▶ To provide a continuous source compressed air.
- ▶ To increase efficiency in all compressor applications.



## IE3 High energy saving

The IE3 high efficiency motors, combined with high performance air-ends, allow you to cut energy costs. Moreover, IE3 motors reduce CO<sub>2</sub> emissions: an important contribution to protecting the environment.

## High reliability

A constant quality control and the use of selected components, supplied by leading manufacturers worldwide, guarantees a long operational life and long maintenance intervals.

## Plug&Play

Our PLUS compressors are thoroughly tested in our factories to ensure they are ready for immediate use following delivery, thereby saving time and cutting installation costs.

## High productivity

Higher air output performance is a key focus for the renown FINI project engineering and design team. The PLUS 15 bar series follows this tradition by offering premium performance levels.

## Bassi livelli di rumorosità

PLUS compressors are very quiet: efficient soundproofing materials make them suitable for installation even near workstations.

## Compact design

The very compact design enables PLUS compressors to be installed in any working place.



Code	Product	Compressor		Free air delivered **			MAX. PRESSURE		dB(A)	BSP	Weight		L x P x H (cm)
		kW	HP	l/min.	m <sup>3</sup> /h	c.f.m.	bar	psi			kg	Lbs	
V60NI92FNM960	PLUS 8-15	7.5	10	670	40,2	23.7	15	218	68	3/4"	185	407.9	80 x 70 x 98
V60NN92FNM960	PLUS 11-15	11	15	980	59	34.6	15	218	69	3/4"	200	441	80 x 70 x 98
V60NR92FNM960	PLUS 15-15	15	20	1300	78	45.9	15	218	70	3/4"	235	518	80 x 70 x 98
V60QC92FNM960	PLUS 18.5-15	18.5	25	1650	99	58.3	15	218	66	1"	350	771.6	136 x 83 x 113
V60QF92FNM960	PLUS 22-15	22	30	1970	118.2	69.6	15	218	68	1"	380	837.7	136 x 83 x 113

\*\* Free air delivery as per ISO 1217 Annex C, at 14.5 bar at the compressor outlet. ± 3 dB (A) as PNEUROP/CAGI PN-NTC 2.3. Models with air receiver are available on demand.



40 dB(A)

62 dB(A)

ONLY 66 dB(A)

100 dB(A)

120 dB(A)

## A wide range of solutions for industrial applications



**TERA**  
Oil-injected rotary screw compressors, with direct transmission without gears, at fixed or variable speed and power values from 110 to 250 kW.



**MICRO - PLUS**  
Oil-injected rotary screw compressors, with belt transmission, at fixed or variable speed and power values from 2.2 to 75 kW.



**K-MAX**  
Oil-injected rotary screw compressors with direct transmission, at fixed or variable speed and power values from 5.5 to 90 kW.



**OS Scroll**  
Single and multi-scroll fixed speed oil-free compressors with power values from 2.2 to 30 kW.



**AIR TREATMENT**  
Air driers, filters, accessories and a wide range of products for compressed air treatment.



**PROFESSIONAL**  
Pumping units, base-plates and piston coaxial and belt-driven compressors, with power values from 0.75 to 20 HP.



The "Trust" warranty can be easily extended online through EasyConnect, the new Fini service portal specially created to simplify customers' lives by providing them with quick, clear responses about product availability, order management and goods shipping times.

**EasyConnect**  
YOUR WEB PORTAL SERVICES. OUR FUTURE.



## Protect your investment, extend the Warranty up to **5** years!

When installing your new Fini screw compressor, join the "Trust" Warranty 3- to 5-year extension program to benefit from countless advantages by maximising the effectiveness, safety and duration over time of your investment. Thanks to scheduled maintenance programs exclusively performed by FINI Authorised Assistance Centres, you can rely on timely, highly professional service, as well as on the use of only original spare parts guaranteed by the FSN brand.



**FNA S.p.A.**

Registered office and Headquarter: Via Einaudi, 6 - 10070 Robassomero (TO) - Italy

Production plant: Via Toscana, 21 - 40069 Zola Predosa (BO) - Italy

Tel.: +39 011 9233000 - Fax: +39 011 9241138

[www.finicompressors.com](http://www.finicompressors.com) - [info@fnacompressors.com](mailto:info@fnacompressors.com)

